

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME I LIGHT LIST, 2004							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
920	CHERRY ISLET LIGHT On southern point of island. (C)	44 55 06 N 66 58 00 W	FI W 5s	32		Red and white banded circular tower, red band at top.	HORN: 1 blast ev 20s (2s bl). Emergency light.
			*				* 40/04

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2004							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
330 6800	Great Machipongo Inlet Lighted Whistle Buoy GM	37 23 36 N 75 39 06 W	Mo (A) W		5	Red and white stripes with red spherical topmark.	
		*					40/04
400	North Chesapeake Entrance Lighted Gong Buoy NCD	36 56 49 N 75 55 05 W	FI Y 2.5s		6	Yellow.	
					*		40/04
5522	- Daybeacon 1A						Remove from list.
							* 40/04
31048	- Buoy 12A						Remove from list.
							* 40/04
32140	PAMLICO SOUND LIGHT PS	35 25 29 N 75 50 01 W	Mo (A) W	35	7	MR on skeleton tower on multi-pile structure.	
		*					40/04
	Pamlico Sound						
32180	HOG ISLAND SHOAL LIGHT	35 21 59 N 76 03 07 W	FI R 4s	15	3	TR on pile.	
		*					40/04
32220	- LIGHT 8	35 17 36 N 75 33 48 W	FI R 6s	15	4	TR on pile.	Light equipment removed when endangered by ice.
					*		40/04

CORRECTIONS TO C. G. LIGHT LIST, VOLUME III LIGHT LIST, 2004							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
195	Charleston Light	32 45 28 N 79 50 35 W	FI (2) W 30s 0.2s fl 4.8s ec. 0.2s fl 24.8s ec.	163	26	Triangular tower, top half black, lower half white.	Visible all around; higher intensity from 217° to 071°. Emergency light of reduced intensity when main light is extinguished.
		*					40/04
845.3	NOAA Data Lighted Buoy 41012	30 02 29 N 80 32 00 W	FI (4) Y 20s			Yellow disc-shape with mast.	
		*					40/04

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME III LIGHT LIST, 2004							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
4700	- Lighted Buoy 6		FIR 6s		4	Red.	
				*			40/04
*10272	Central Boca Raton Beach Danger Daybeacon	26 20 27 N 80 04 11 W				NW on pile worded DANGER GROIN.	Private aid.
							40/04
*46351	Loxahatchee River Southwest Bank Buoy 1	26 57 19 N 80 07 13 W				Green can.	Private aid.
							40/04
*46352	Loxahatchee River Southwest Bank Buoy 2					Red nun.	Private aid.
							40/04
*46355	- Daybeacon 1	26 56 56 N 80 06 33 W				SG on pile.	Private aid.
							40/04
*55396	- Daybeacon 2	26 27 34 N 82 04 12 W				TR on pile.	Private aid.
							40/04
*55396.15	- Daybeacon 4					TR on pile.	Private aid.
							40/04
*55396.2	- Daybeacon 6					TR on pile.	Private aid.
							40/04
*55396.25	- Daybeacon 7					SG on pile.	Private aid.
							40/04
*55396.3	- Daybeacon 9					SG on pile.	Private aid.
							40/04
*55396.35	- Daybeacon 10					TR on pile.	Private aid.
							40/04
*55396.4	- Daybeacon 11					SG on pile.	Private aid.
							40/04
*55396.45	- Daybeacon 12					TR on pile.	Private aid.
							40/04
*55396.5	- Daybeacon 14					TR on pile.	Private aid.
							40/04
*55396.55	- Daybeacon 15					SG on pile.	Private aid.
							40/04
*55396.6	- Daybeacon 16					TR on pile.	Private aid.
							40/04

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME III LIGHT LIST, 2004							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*55396.65	- Daybeacon 17					SG on pile.	Private aid. 40/04
*55396.7	- Daybeacon 18					TR on pile.	Private aid. 40/04
*55396.75	- Daybeacon 19					SG on pile.	Private aid. 40/04
*55396.8	- Daybeacon 20					TR on pile.	Private aid. 40/04
*58112	- Casey Key Daybeacon 2	27 11 08 N 82 29 46 W				TR on pile.	Private aid. 40/04
*58114	- Casey Key Daybeacon 3					SG on pile.	Private aid. 40/04
*61340.1	War Veterans Park Danger Daybeacon A	27 48 08 N 82 46 32 W				NW on pile worded DANGER PARTIALLY SUBMERGED OBJECT.	Private aid. 40/04
*61340.2	War Veterans Park Danger Daybeacon B					NW on pile worded DANGER PARTIALLY SUBMERGED OBJECT.	Private aid. 40/04

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV LIGHT LIST, 2004							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
POINT AU FER TO MARSH ISLAND (Chart 11351)							
Atchafalaya River							
18355	- LIGHT 23	29 32 45 N 91 14 56 W	FI G 4s	17	4	SG on pile.	Ra ref. 40/04
		*					
18380	- LIGHT 31	29 34 35 N 91 13 54 W	FI G 2.5s	17	3	SG on pile.	Ra ref. 40/04
		*					
*18407	- LIGHT 34	29 35 31 N 91 13 59 W	FI R 4s	17	4	TR on pile.	Ra ref. 40/04
*18423	- LIGHT 38	29 37 30 N 91 15 21 W	FI R 6s	17	4	TR on pile.	Ra ref. 40/04

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV LIGHT LIST, 2004

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*22858	- Buoy S	29 22 08 N 94 47 39 W				Red nun with green band and yellow triangle.	40/04
*22858.05	- Buoy 2	29 22 27 N 94 47 35 W				Red nun.	40/04
*22858.06	- Buoy 3	29 22 19 N 94 47 57 W				Green can.	40/04
*22858.07	- Buoy 4	29 22 37 N 94 47 58 W				Red nun.	40/04
*22858.08	- Buoy N	29 22 28 N 94 48 12 W				Red nun with green bands.	40/04
22867 34267	- Buoy S						<i>Remove from list.</i> * 40/04
22886.05	- Buoy 2						<i>Remove from list.</i> * 40/04
22886.06	Buoy 3						<i>Remove from list.</i> * 40/04
22886.07	- Buoy 4						<i>Remove from list.</i> * 40/04
22888.05	- Buoy N						<i>Remove from list.</i> * 40/04
34267 22867	- Buoy S						<i>Remove from list.</i> * 40/04
*34268	- Buoy S	29 22 08 N 94 47 39 W				Red nun with green band and yellow triangle.	40/04

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI LIGHT LIST, 2004

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
4927	- SOUTH CHANNEL RANGE REAR LIGHT 635 yards, 293° from front light.	37 44 39 N 122 22 34 W	Oc Y 4s	68		KRW on post.	Private aid. * 40/04

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI LIGHT LIST, 2004							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
ETOLIN ISLAND TO MIDWAY ISLAND (Chart 17360)							
Pybus Bay							
23575	GRAVE ISLAND LIGHT	57 16 01 N 134 05 00 W	FI W 4s	18	6	NR on spindle.	Obscured from 031° to 167°.
		*					40/04
Stephens Passage							
23585	False Point Pybus Daybeacon	57 21 07 N 133 52 33 W				NR on skeleton tower.	
		*					40/04
23615	POINT HUGH LIGHT	57 37 12 N 133 48 26 W	FI W 6s	34	6	NR on skeleton tower.	Obscured from 351.5° to 173°.
		*					40/04
23645	GRAVE POINT LIGHT	58 03 44 N 134 03 04 W	FI W 2.5s	45	6	NR on skeleton tower.	Obscured from 156° to 280°.
		*					40/04
23790	HORSE SHOAL LIGHT 1	58 15 16 N 134 42 11 W	FI G 6s	15	4	SG on pile.	
		*					40/04
*27444	Akutan Bay Lighted Mooring Buoy	54 07 40 N 165 45 00 W					Private aid.
							40/04
CORRECTIONS TO C. G. LIGHT LIST, VOLUME VII LIGHT LIST, 2004							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
Black River Bay							
1850	SACKETS HARBOR LIGHT	43 56 36 N 76 08 42 W	FI W 2.5s	57 17	4	NB on gray skeleton tower.	
					*		40/04
1852	Horse Island Lighted Buoy 2		FI R 4s		4	Red.	Maintained from May 14 to Nov. 01.
	*						40/04
3010	- Lighted Buoy 5	42 57 00 N 78 54 40 W	Q G		4	Green.	Maintained from May 7 to Dec. 7.
					*		* 40/04

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VII LIGHT LIST, 2004

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
SANDUSKY HARBOR (Chart 14845)							
Sandusky Harbor							
4560	- Breakwater Light	41 30 00 N 82 40 30 W	Oc W 4s	30 9	16	White cylindrical tower with green band.	HORN: 1 blast ev 30s (3s bl-27s si). Operates from Apr. 1 to Dec. 1. Standby horn of reduced intensity. * 40/04
7671	DAYBEACON 3			8 2	3	SG on single pile. *	Private aid. 40/04
7672	DAYBEACON 4			8 2	4	TR on single pile. *	Private aid. 40/04
Island Cove Marina							
9038	- Entrance Lighted Buoy 1	42 36 07 N 82 47 00 W	FI G 4s			Green	Private aid. 40/04
9040	- Entrance Lighted Buoy 3		FI G 4s			Green.	Private aid. * 40/04
13790	- Lighted Buoy 9		Q G		4	Green. *	40/04
13805	- Lighted Buoy 13		FI G 4s		4	Green. *	40/04
13850	- Lighted Buoy 6		FI R 2.5s		4	Red. *	40/04
13865	- Lighted Buoy 9		FI G 2.5s		4	Green. *	40/04
13915	- Lighted Buoy 6a		Q R		4	Red. *	40/04
Portage Lake							
18415	- NORTH PIERHEAD LIGHT	44 21 36 N 86 16 06 W	FI G 4s	32 10	5	White cylindrical tower with green band. 20	HORN: 1 blast ev 15s (2s bl). Operates from Apr. 1 to Nov. 1. * 40/04
19051	- Lighted Buoy 15A	43 04 19 N 86 12 33 W	FI G 6s		3	Green.	Maintained from April 1 to Nov. 1. * 40/04

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VII LIGHT LIST, 2004							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
21797	Yacht Works Marina West Breakwall Light "A"	45 12 12 N 87 07 16 W	FI W 4s	22 7	3 NB		Private aid.
						*	40/04

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
 Denotes a new entry when preceding the station number.